

S.N.: 09/965,784
Art Unit: 2618

AMENDMENTS TO THE CLAIMS:

This listing of the claims will replace all prior versions, and listings, of the claims in this application.

Listing of Claims:

1. (Currently Amended) A method for operating a wireless communication system of a type that transmits system identification ~~System Identification~~ (SID) parameters to mobile stations, comprising:

storing a SID that identifies a home ~~Home~~ service provider for the mobile station;

identifying a plurality of SIDs having a common spatial characteristic;

storing the identified plurality of SIDs in a memory that is accessible by a mobile station;

comparing a SID received from a wireless service provider to the stored plurality of SIDs; and

upon any one of the plurality of stored SIDs matching the received SID, declaring the wireless service provider as being a home ~~Home~~ service provider for the mobile station.

2. (Original) A method as in claim 1, wherein the common spatial characteristic is comprised of a geographical area that corresponds to a postal zone.

3. (Currently Amended) A method as in claim 1, wherein the common spatial characteristic is comprised of a geographical area that corresponds to a zip ~~ZIP~~ code.

4. (Currently Amended) A method as in claim 1, wherein the steps of identifying, storing, comparing and declaring are executed only if the mobile station is classified as being in a prepaid ~~Prepaid~~ mode of operation.

5. (Currently Amended) A method as in claim 1, wherein if none of the plurality of stored SIDs matches the received SID, further comprising comparing the received SID to other stored SIDs, including at least one of a partner ~~Partner~~ SID, a favorable ~~Favored~~ SID and a forbidden ~~Forbidden~~ SID.

S.N.: 09/965,784
Art Unit: 2618

6. (Currently Amended) A method as in claim 1, wherein if none of the plurality of stored SIDs matches the received SID, further comprising comparing a received system operator code ~~System Operator Code~~ (SOC) to stored SOC, including at least one of a partner ~~Partner~~ SOC, a favorable ~~Favored~~ SOC and a forbidden ~~Forbidden~~ SOC.
7. (Currently Amended) A method as in claim 1, and further comprising displaying a message to a user for informing the user that the user is operating in a prepaid ~~Prepaid~~ mode with one of a plurality of system providers having SIDs that are associated with a geographical area that is the user's home geographical area.
8. (Currently Amended) A method as in claim 1, wherein the step of comparing includes a preliminary step of comparing the received SID to the stored SID that identifies the home ~~Home~~ service provider for the mobile station, and upon a match declaring the service provider to be the home ~~Home~~ service provider, and inhibiting the execution of the step of comparing the SID received from a wireless service provider to the stored plurality of SIDs.
9. (Original) A method as in claim 1, wherein the common spatial characteristic is comprised of a geographical area that is defined by information received from a customer of a prepaid service provider.
10. (Currently Amended) A wireless communication system of a type that transmits system identification ~~System Identification~~ (SID) parameters to mobile stations, comprising in mobile stations associated with a prepaid service provider at least one memory storing a SID that identifies a home ~~Home~~ service provider for the mobile station and a list containing a plurality of other SIDs having a common spatial characteristic, the mobile station comprising a processor that is coupled to the at least one memory and that is responsive to a received SID for comparing the received SID to the SIDs in the list of SIDs and, upon any one of the plurality of SIDs matching the received SID, declaring a wireless service provider that transmitted the SID as being the home ~~Home~~ service provider for the mobile station.
11. (Previously Amended) A system as in claim 10, wherein the common spatial characteristic is

S.N.: 09/965,784
Art Unit: 2618

comprised of a postal zone.

12. (Original) A system as in claim 10, wherein the common spatial characteristic is comprised of a geographical area that is defined by information received from a customer of the prepaid service provider.

13. (Currently Amended) A system as in claim 10, wherein if none of the plurality of other SIDs matches the received SID, the processor compares the received SID to other stored SIDs found in an intelligent roaming data base ~~Intelligent Roaming Data Base~~ (IRDB).

14. (Currently Amended) A system as in claim 10, wherein if none of the plurality of other SIDs matches the received SID, the processor compares a received system operator code ~~System Operator Code~~ (SOC) to stored SOC's found in an intelligent roaming data base ~~Intelligent Roaming Data Base~~ (IRDB).

15. (Currently Amended) A system as in claim 10, and further comprising a display for displaying a message to a user for informing the user that the user is operating in a prepaid ~~Prepaid~~ mode with one of a plurality of system providers having SIDs that are associated with a geographical area that is the user's home geographical area.

16. (Currently Amended) A system as in claim 10, wherein the processor first compares the received SID to the stored SID that identifies the home ~~Home~~ service provider for the mobile station, and upon a match declares the service provider to be the home ~~Home~~ service provider, and inhibits comparing the received SID with the list of other SIDs.

17. (Currently Amended) A mobile station, comprising:

a controller;

a wireless transceiver; and

at least one memory, the at least one memory comprising a location for storing a home ~~Home~~ SID and other locations for storing a plurality of cousin ~~Cousin~~ SIDs, wherein a SID received through said wireless controller is declared by said controller to be a home ~~Home~~ service provider if the received SID matches the stored home ~~Home~~ SID or any one of the plurality of stored cousin

S.N.: 09/965,784
Art Unit: 2618

~~Cousin~~ SIDs, wherein the cousin ~~Cousin~~ SIDs are stored into said at least one memory under the direction of a prepaid service provider, and correspond to SIDs associated with one or more service providers that service a predetermined geographical area that is defined to be a non-roaming area of a customer of the prepaid service provider, wherein the home ~~Home~~ SID is stored in at least one memory without the direction of a prepaid service provider.

18. (Cancelled).

19. (Currently Amended) A mobile station as in claim 17, wherein the cousin ~~Cousin~~ SIDs are stored in a memory that is detachable from said mobile station.

20. (Currently Amended) A method for operating a wireless communication system of a type that transmits system identification ~~System Identification~~ (SID) parameters to prepaid mobile stations, comprising:

storing, in at least one memory that is accessible by a mobile station, a first SID that identifies a home ~~Home~~ service provider for the mobile station and a plurality of second SIDs;

comparing a SID received from a wireless service provider to the first SID and upon the received SID matching the first SID, declaring the wireless service provider to be a home ~~Home~~ category service provider for the mobile station; and

if the received SID does not match the first SID, comparing the received SID to the plurality of second SIDs and upon the received SID matching any one of the plurality of second SIDs, declaring the wireless service provider to be the home ~~Home~~ category service provider for the mobile station, wherein if the received SID does not match any of the second SIDs, comparing the received SID to SIDs stored in an intelligent roaming data base (IRDB).

21. (Cancelled).

22. (Currently Amended) A method for operating a wireless communication system of a type that transmits system identification ~~System Identification~~ (SID) parameters to prepaid mobile stations, comprising:

storing, in at least one memory that is accessible by a mobile station, a first SID that identifies a

home ~~Home~~ service provider for the mobile station and a plurality of second SIDs;

comparing a SID received from a wireless service provider to the plurality of second SIDs and upon the received SID matching any one of the plurality of second SIDs, declaring the wireless service provider to be a home ~~Home~~ category service provider for the mobile station; and

if the received SID does not match any one of the plurality of second SIDs, comparing the received SID to the first SID and upon the received SID matching the first SID, declaring the wireless service provider to be the home ~~Home~~ category service provider for the mobile station.

23. (Original) A method as in claim 22, wherein if the received SID does not match the first SID, comparing the received SID to SIDs stored in an intelligent roaming data base (IRDB).

24. (Currently Amended) A method for operating a wireless communication system of a type that transmits system identification ~~System Identification~~ (SID) and system operator code ~~System Operator Code~~ (SOC) parameters to prepaid mobile stations, comprising:

storing, in at least one memory that is accessible by a mobile station, a SOC that identifies a home ~~Home~~ service provider for the mobile station and a plurality of SIDs;

comparing a SOC received from a wireless service provider to the stored SOC and upon the received SOC matching the stored SOC, declaring the wireless service provider to be a home ~~Home~~ category service provider for the mobile station; and

if the received SOC does not match the stored SOC, comparing a related received SID to the plurality of stored SIDs and upon the received SID matching any one of the plurality of second SIDs, declaring the wireless service provider to be the home ~~Home~~ category service provider for the mobile station.

25. (Original) A method as in claim 24, wherein if the received SID does not match any of the second SIDs, comparing the received SID or SOC to SIDs or SOC's stored in an intelligent roaming data base (IRDB).

26. (Currently Amended) A method for operating a wireless communication system of a type that transmits system identification ~~System Identification~~ (SID) and system operator code ~~System~~

S.N.: 09/965,784
Art Unit: 2618

~~Operator Code~~ (SOC) parameters to prepaid mobile stations, comprising:

storing, in at least one memory that is accessible by a mobile station, a SOC that identifies a home ~~Home~~ service provider for the mobile station and a plurality of SIDs;

comparing a SID received from a wireless service provider to the plurality of stored SIDs and upon the received SID matching any one of the plurality of stored SIDs, declaring the wireless service provider to be a home ~~Home~~ category service provider for the mobile station; and

if the received SID does not match any one of the plurality of stored SIDs, comparing a received SOC to the stored SOC and upon the received SOC matching the stored SOC, declaring the wireless service provider to be the home ~~Home~~ category service provider for the mobile station.

27. (Original) A method as in claim 26, wherein if the received SOC does not match the stored SOC, comparing the received SID or SOC to SIDs or SOC's stored in an intelligent roaming data base (IRDB).

28. (Previously Presented) A system as in claim 10, wherein the at least one memory is removable from the mobile station.

29. (Currently Amended) A system as in claim 10, wherein the mobile station operates in a postpaid ~~Postpaid~~ mode.

30. (Currently Amended) A system as in claim 10, wherein the mobile station has both postpaid ~~Postpaid~~ and prepaid ~~Prepaid~~ modes.